

## **References and further reading**

- Adachi, Y., Moore, L.E., Bradford, B.U., Gao, W., and Thurman, R.G. (1995). Antibiotics prevent liver injury in rats following long-term exposure to ethanol. *Gastroenterology* 108, 218–224.
- Adams, T.B., Doull, J., Goodman, J.I., Munro, I.C., Newberne, P., Portoghesi, P.S., Smith, R.L., Wagner, B.M., Weil, C.S., Woods, L.A., and Ford, R.A. (1997). The FEMA GRAS assessment of furfural used as a flavour ingredient. *Food Chem. Toxicol.* 35, 739–751.
- Adamson, R.H., Takayama, S., Sugimura, T., and Thorgeirsson, U.P. (1994). Induction of hepatocellular carcinoma in nonhuman primates by the food mutagen 2-amino-3-methylimidazo[4,5-f]quinoline. *Environ. Health Perspect.* 102, 190–193.
- Agency for Toxic Substances and Disease Registry (1998). *Toxicological profile for chlorinated dibenzo-p-dioxins (CDDs)*. Centers for Disease Control, Atlanta, GA.
- American Cancer Society (2000). *Cancer Facts & Figures—2000*. American Cancer Society, Atlanta, GA.
- American Medical Association Division of Drugs (1983). *AMA Drug Evaluations*. AMA, Chicago, IL.
- American Water Works Association, Government Affairs Office (1993). *Disinfectant/Disinfection By-Products Database for the Negotiated Regulation*. AWWA, Washington, DC.

- Ames, B.N. (1998). Micronutrients prevent cancer and delay aging. *Toxicol. Lett.* 103, 5–18.
- Ames, B.N., and Gold, L.S. (1989). Letter: Pesticides, risk, and applesauce. *Science* 244, 755–757. Letter: 244: 755.
- Ames, B.N., and Gold, L.S. (1990). Chemical carcinogenesis: Too many rodent carcinogens. *Proc. Natl. Acad. Sci. USA* 87, 7772–7776. <http://socrates.berkeley.edu/mutagen/PNAS1.html>.
- Ames, B.N., and Gold, L.S. (1991). Risk assessment of pesticides. *Chem. Eng. News* 69, 28–32, 48–49. Forum: pp. 27–55.
- Ames, B.N., Gold, L.S., and Shigenaga, M.K. (1996). Cancer prevention, rodent high-dose cancer tests, and risk assessment. *Risk Anal.* 16, 613–617. <http://potency.berkeley.edu/text/riskanaleditorial.html>.
- Ames, B.N., Gold, L.S., and Willett, W.C. (1995). The causes and prevention of cancer. *Proc. Natl. Acad. Sci. USA* 92, 5258–5265. <http://socrates.berkeley.edu/mutagen/ames.pnas3.html>.
- Ames, B.N., Magaw, R., and Gold, L.S. (1987). Ranking possible carcinogenic hazards. *Science* 236, 271–280. Letters: 237: 235 (1987); 237: 1283–1284 (1987); 237: 1399–1400 (1987); 238: 1633–1634 (1987); Technical comment: 240: 1043–1047 (1988).
- Ames, B.N., Motchnik, P.A., Fraga, C.G., Shigenaga, M.K., Hagen, T.M., and Ohlshan, A. (1994). Antioxidant prevention of birth defects and cancer. In *Male-Mediated Developmental Toxicity* (D.R. Mattison, ed.), pp. 243–259. Plenum Press, New York.
- Ames, B.N., Profet, M., and Gold, L.S. (1990a). Dietary pesticides (99.99% all natural). *Proc. Natl. Acad. Sci. USA* 87, 7777–7781. <http://socrates.berkeley.edu/mutagen/PNAS2.html>.
- Ames, B.N., Profet, M., and Gold, L.S. (1990b). Nature's chemicals and synthetic chemicals: Comparative toxicology. *Proc. Natl. Acad. Sci. USA* 87, 7782–7786.

- Ames, B.N., Shigenaga, M.K., and Gold, L.S. (1993a). DNA lesions, inducible DNA repair, and cell division: Three key factors in mutagenesis and carcinogenesis. *Environ. Health Perspect.* 101 (Suppl. 5), 35–44.
- Ames, B.N., Shigenaga, M.K., and Hagen, T.M. (1993b). Oxidants, antioxidants, and the degenerative diseases of aging. *Proc. Natl. Acad. Sci. USA* 90, 7915–7922.
- Ames, B.N., and Wakimoto, P. (2002). Are vitamin and mineral deficiencies a major cancer risk? *Nature Rev. Cancer* 2, 694–704.
- Anderson, R.N. (1999). United States life tables, 1997. *Natl. Vital Stat. Rep.* 47, 1–37.
- Andrasik, J., and Cloutet, D. (1990). Monitoring solvent vapors in drycleaning plants. *Int. Fabricare Inst. Focus Dry Cleaning* 14, 1–8.
- Arky, R. (1998). *Physicians' Desk Reference*. Medical Economics Company, Montvale, NJ.
- Armstrong, B., and Doll, R. (1975). Environmental factors and cancer incidence and mortality in different countries, with special reference to dietary practices. *Int. J. Cancer* 15, 617–631.
- Bailar, I., III, and Gornik, H.L. (1997). Cancer undefeated. *N. Engl. J. Med.* 336, 1569–1574.
- Bailey, L.B., Wagner, P.A., Christakis, G.J., Araujo, P.E., Apfel, H., Davis, C.G., Masteryanni, J., and Dinning, J.S. (1979). Folacin and iron status and hematological findings in predominately black elderly persons from urban low-income households. *Am. J. Clin. Nutr.* 32, 2346–2353.
- Bailey, L.B., Wagner, P.A., Christakis, G.J., Davis, C.G., Apfel, H., Araujo, P.E., Dorsey, E., and Dinning, J.S. (1982). Folacin and iron status and hematological findings in black and Spanish-American adolescents from urban low-income households. *Am. J. Clin. Nutr.* 35, 1023–1032.
- Becker, S., and Berhane, K. (1997). A meta-analysis of 61 sperm count studies revisited. *Fertil. Steril.* 67, 1103–1108.

- Beckman, K.B., and Ames, B.N. (1998). The free radical theory of aging matures. *Physiol. Rev.* 78, 547–581.
- Beer Institute (1999). *1999 Brewers Almanac*. Beer Institute, Washington, DC. [http://www.beerinstitute.org/pdfs/1999\\_Brewers\\_Almanac.pdf](http://www.beerinstitute.org/pdfs/1999_Brewers_Almanac.pdf).
- Beier, R.C., Ivie, G.W., Oertli, E.H., and Holt, D.L. (1983). HPLC analysis of linear furocoumarins (psoralens) in healthy celery *Apium graveolens*. *Food Chem. Toxicol.* 21, 163–165.
- Bejnarowicz, E.A., and Kirch, E.R. (1963). Gas chromatographic analysis of oil of nutmeg. *J. Pharm. Sci.* 52, 988–993.
- Berkley, S.F., Hightower, A.W., Beier, R.C., Fleming, D.W., Brokopp, C.D., Ivie, G.W., and Broome, C.V. (1986). Dermatitis in grocery workers associated with high natural concentrations of furanocoumarins in celery. *Ann Intern Med* 105, 351–355.
- Bernstein, L., Gold, L.S., Ames, B.N., Pike, M.C., and Hoel, D.G. (1985). Some tautologous aspects of the comparison of carcinogenic potency in rats and mice. *Fundam. Appl. Toxicol.* 5, 79–86.
- Bernstein, L., Henderson, B.E., Hanisch, R., Sullivan-Halley, J., and Ross, R.K. (1994). Physical exercise and reduced risk of breast cancer in young women. *J. Natl. Cancer Inst.* 86, 1403–1408.
- Bernstein, L., Ross, R.K., and Pike, M.C. (1990). Hormone levels in older women; a study of postmenopausal breast cancer patients and healthy population controls. *Br. J. Cancer* 61, 298–302.
- Birnbaum, L.S. (1994). The mechanism of dioxin toxicity: Relationship to risk assessment. *Environ. Health Perspect.* 102 (Suppl. 9), 157–167.
- Bjerre, L.M., and LeLorier, J. (2001). Do statins cause cancer? A meta-analysis of large randomized clinical trials. *Am. J. Med.* 110, 716–723.

- Blair, A., Stewart, P.A., Zaebst, D.D., Pottern, L., Zey, J.N., Bloom, T.F., Miller, B., Ward, E., and Lubin, J. (1998). Mortality of industrial workers exposed to acrylonitrile. *Scand. J. Work Environ. Health* 24 (Suppl. 2), 25–41.
- Block, G. (1995). Are clinical trials really the answer? *Am. J. Clin. Nutr.* 62 (Suppl. 6), 1517–1520.
- Block, G., Patterson, B., and Subar, A. (1992). Fruit, vegetables and cancer prevention: A review of the epidemiologic evidence. *Nutr. Cancer* 18, 1–29.
- Block, G., Sinha, R., and Gridley, G. (1994). Collection of dietary-supplement data and implications for analysis. *Am. J. Clin. Nutr.* 59 (Suppl. 1), 232–239.
- Blount, B.C., Mack, M.M., Wehr, C.M., MacGregor, J.T., Hiatt, R.A., Wang, G., Wickramasinghe, S.N., Everson, R.B., and Ames, B.N. (1997). Folate deficiency causes uracil misincorporation into human DNA and chromosome breakage: Implications for cancer and neuronal damage. *Proc. Natl. Acad. Sci. USA* 94, 3290–3295.
- Bogen, K.T., and Gold, L.S. (1997). Trichloroethylene cancer risk: Simplified calculation of PBPK-based MCLs for cytotoxic endpoints. *Regul. Toxicol. Pharmacol.* 25, 26–42. <http://www.idealibrary.com/links/doi/10.1006/rtpb.1996.1070/pdf>.
- Bogen, K.T., and Keating, G.A. (2001). US dietary exposures to heterocyclic amines. *J. Expos. Anal. Environ. Epidemiol.* 11, 155–168.
- Botterweck, A.A., van den Brandt, P.A., and Goldbohm, R.A. (1998). A prospective cohort study on vegetable and fruit consumption and stomach cancer risk in The Netherlands. *Am. J. Epidemiol.* 148, 842–853.
- Botterweck, A.A.M., Verhagen, H., Goldbohm, R.A., Kleinjans, J., and van den Brandt, P.A. (2000). Intake of butylated hydroxyanisole and butylated hydroxytoluene and stomach cancer risk: Results from analyses in the Netherlands cohort study. *Food Chem. Toxicol.* 38, 599–605.

- Boushey, C.J., Beresford, S.A., Omenn, G.S., and Motulsky, A.G. (1995). A quantitative assessment of plasma homocysteine as a risk factor for vascular disease. Probable benefits of increasing folic acid intakes. *J. Am. Med. Assoc.* 274, 1049–1057.
- Bradfield, C.A., and Bjeldanes, L.F. (1987). Structure-activity relationships of dietary indoles: A proposed mechanism of action as modifiers of xenobiotic metabolism. *J. Toxicol. Environ. Health* 21, 311–323.
- Burdock, G.A. (2000). Dietary supplements and lessons to be learned from GRAS. *Regul. Toxicol. Pharmacol.* 31, 68–76.
- Butterworth, B.E., and Bogdanffy, M.S. (1999). A comprehensive approach for integration of toxicity and cancer risk assessments. *Regul. Toxicol. Pharmacol.* 29, 23–36.
- Butterworth, B.E., Conolly, R.B., and Morgan, K.T. (1995). A strategy for establishing mode of action of chemical carcinogens as a guide for approaches to risk assessments. *Cancer Lett.* 93, 129–146.
- Caan, B.J., Coates, A.O., Slattery, M.L., Potter, J.D., Quesenberry, C.P., Jr, and Edwards, S.M. (1998). Body size and the risk of colon cancer in a large case-control study. *Int. J. Obes. Relat. Metab. Disord.* 22, 178–184.
- Calabrese, E.J., and Baldwin, L.A. (2001). Hormesis: A generalizable and unifying hypothesis. *Crit. Rev. Toxicol.* 31, 353–424.
- California Department of Health Services (1985). *EDB Criteria Document*. CDHS, Sacramento, CA.
- California Environmental Protection Agency. Standards and Criteria Work Group (1994). *California Cancer Potency Factors: Update*. CalEPA, Sacramento.
- Canada Gazette (1995). The Food and Drugs Act.
- Canas, B.J., Haverty, D.C., Robinson, L.R., Sullivan, M.P., Joe, F.L., Jr., and Diachenko, G.W. (1989). Chemical contaminants monitoring: Ethyl carbamate levels in selected fermented foods and beverages. *J. Assoc. Off. Anal. Chem.* 72, 873–876.

- Cattley, R.C., Illingworth, D.R., Laws, A., Pahor, M., Tobert, J.A., Newman, T.B., and Hulley, S.B. (1996). Carcinogenicity of lipid-lowering drugs (letters). *JAMA* 275, 1479–1482.
- Chaudhary, S.K., Ceska, O., Tétu, C., Warrington, P.J., Ashwood-Smith, M.J., and Poulton, G.A. (1986). Oxypeucedanin, a major furocoumarin in parsley, *Petroselinum crispum*. *Planta Med.* 6, 462–464.
- Chauhan, Y., Nagel, D., Gross, M., Cerny, R., and Toth, B. (1985). Isolation of  $N_2$ -[ $\gamma$ -L-(+)-glutamyl]-4-carboxyphenylhydrazine in the cultivated mushroom *Agaricus bisporus*. *J. Agric. Food Chem.* 33, 817–820.
- Childs, M., and Girardot, G. (1992). Bilan des données acquises sur le risque à long terme des traitements hypolipidémiants. *Arch. Mal. Coeur Vaiss.* 85 (Spec. No. 2), 129–133.
- Christen, S., Hagen, T.M., Shigenaga, M.K., and Ames, B.N. (1999). Chronic inflammation, mutation, and cancer. In *Microbes and Malignancy: Infection as a Cause of Cancer* (J. Parsonnet, ed.), pp. 35–88. Oxford University Press, New York.
- Christensen, J.G., Goldsworthy, T.L., and Cattley, R.C. (1999). Dysregulation of apoptosis by c-myc in transgenic hepatocytes and effects of growth factors and non-genotoxic carcinogens. *Mol. Carcinog.* 25, 273–284.
- Clarke, R.J., and Macrae, R., eds. (1988). *Coffee*. Elsevier, New York.
- Clayson, D.B., and Iverson, F. (1996). Cancer risk assessment at the crossroads: The need to turn to a biological approach. *Regul. Toxicol. Pharmacol.* 24, 45–59.
- Clayson, D.B., Iverson, F., Nera, E.A., and Lok, E. (1990). The significance of induced forestomach tumors. *Annu. Rev. Pharmacol. Toxicol.* 30, 441–463.
- Coffee Research Institute (2001). *Consumption in the United States, Vol. 2002*. Coffee Research Institute. <http://www.coffeeresearch.org/market/usa.htm>.

- Cohen, S.M. (1995). Role of urinary physiology and chemistry in bladder carcinogenesis. *Food Chem. Toxicol.* 33, 715–730.
- Cohen, S.M. (1998). Cell proliferation and carcinogenesis. *Drug Metab. Rev.* 30, 339–357.
- Cohen, S.M., and Lawson, T.A. (1995). Rodent bladder tumors do not always predict for humans. *Cancer Lett.* 93, 9–16.
- Colborn, T., Dumanoski, D., and Myers, J.P. (1996). *Our Stolen Future: Are We Threatening Our Fertility, Intelligence, and Survival? A Scientific Detective Story.* Dutton, NY. <http://www.osf-facts.org/>.
- Collins, J.J., Swaen, G.M., Marsh, G.M., Utidjian, H.M., Caporossi, J.C., and Lucas, L.J. (1989). Mortality patterns among workers exposed to acrylamide. *J. Occup. Med.* 31, 614–617.
- Connor, T.H., Theiss, J.C., Hanna, H.A., Monteith, D.K., and Matney, T.S. (1985). Genotoxicity of organic chemicals frequently found in the air of mobile homes. *Toxicol. Letters* 25, 33–40.
- CONSAD Research Corporation (1990). Final report. Economic analysis of OSHA's proposed standards for methylene chloride. OSHA Docket H-71.
- Contrera, J., Jacobs, A., and DeGeorge, J. (1997). Carcinogenicity testing and the evaluation of regulatory requirements for pharmaceuticals. *Regul. Toxicol. Pharmacol.* 25, 130–145.
- Crump, K.S., Canady, R., and Kogevinas, M. (2003, in press). Meta-analysis of dioxin cancer dose-response for three occupational cohorts. *Environmental Health Perspectives*.
- Culvenor, C.C.J., Clarke, M., Edgar, J.A., Frahn, J.L., Jago, M.V., Peterson, J.E., and Smith, L.W. (1980). Structure and toxicity of the alkaloids of Russian comfrey (*Symphytum x Uplandicum nyman*), a medicinal herb and item of human diet. *Experientia* 36, 377–379.
- Cunningham, M.L., Elwell, M.R., and Matthews, H.B. (1994a).

- Relationship of carcinogenicity and cellular proliferation induced by mutagenic noncarcinogens vs carcinogens. III. Organophosphate pesticides vs. tris(2,3-dibromopropyl)phosphate. *Fundam. Appl. Toxicol.* 23, 363–369.
- Cunningham, M.L., Foley, J., Maronpot, R.R., and Matthews, H.B. (1991). Correlation of hepatocellular proliferation with hepatocarcinogenicity induced by the mutagenic noncarcinogen:carcinogen pair—2,6- and 2,4-diaminotoluene. *Toxicol. Appl. Pharmacol.* 107, 562–567.
- Cunningham, M.L., Maronpot, R.R., Thompson, M., and Bucher, J.R. (1994b). Early responses of the liver of B6C3F<sub>1</sub> mice to the hepatocarcinogen oxazepam. *Toxicol. Appl. Pharmacol.* 124, 31–38.
- Czaja, M.J., Xu, J., Ju, Y., Alt, E., and Schmiedeberg, P. (1994). Lipopolysaccharide-neutralizing antibody reduces hepatocyte injury from acute hepatotoxin administration. *Hepatology* 19, 1282–1289.
- Das, U.N. (2001). Is obesity an inflammatory condition? *Nutrition* 17, 953–966.
- Dashwood, R.H. (1998). Indole-3-carbinol: Anticarcinogen or tumor promoter in *Brassica* vegetables? *Chem.-Biol. Interact.* 110, 1–5.
- Davies, T.S., and Monro, A. (1995). Marketed human pharmaceuticals reported to be tumorigenic in rodents. *J. Am. Coll. Toxicol.* 14, 90–107.
- Devesa, S.S., Blot, W.J., Stone, B.J., Miller, B.A., Tarone, R.E., and Fraumeni, F.J., Jr. (1995). Recent cancer trends in the United States. *J. Natl. Cancer Inst.* 87, 175–182.
- Dich, J., Zahm, S.H., Hanberg, A., and Adami, H.-O. (1997). Pesticides and cancer. *Cancer Causes Control* 8, 420–443.
- Doll, R., and Peto, R. (1981). *The Causes of Cancer*. Oxford University Press, New York.
- Duggan, R.E., and Corneliusen, P.E. (1972). Dietary intake of pesticide chemicals in the United States (III), June 1968–April 1970. *Pest. Monit. J.* 5, 331–341.

- El-Serag, H.B., and Mason, A.C. (1999). Rising incidence of hepatocellular carcinoma in the United States. *N. Engl. J. Med.* 340, 745–750.
- Engel, K.H., and Tressl, R. (1983). Studies on the volatile components of two mango varieties. *J. Agric. Food Chem.* 31, 796–801.
- European Commission Scientific Committee on Foods (2000). *Opinion of the SCF on the Risk Assessment of Dioxins and Dioxin-like PCBs in Food*. European Commisssion, Brussels, Belgium.
- European Commission Scientific Committee on Foods (2001). *Opinion of the Scientific Committee on Food on the Risk Assessment of Dioxins and Dioxin-like PCBs in Food. Update Based on New Scientific Information Available Since the Adoption of the SCF Opinion of 22<sup>nd</sup> November 2000*. European Commission, Brussels, Belgium.
- Fazio, T., Haverty, D.C., and Howard, J.W. (1980). Determination of volatile N-nitrosamines in foodstuffs: I. A new clean-up technique for confirmation by GLC-MS. II. A continued survey of foods and beverages. In *N-Nitroso Compounds: Analysis, Formation and Occurrence* (E.A. Walker, L. Griciute, M. Castegnaro and M. Borzsonyi, eds.), Vol. 31, pp. 419–435. International Agency for Research on Cancer, Lyon, France.
- Fenech, M., Aitken, C., and Rinaldi, J. (1998). Folate, vitamin B<sub>12</sub>, homocysteine status and DNA damage in young Australian adults. *Carcinogenesis* 19, 1163–1171.
- Fernandez-Salguero, P.M., Hilbert, D.M., Rudikoff, S., Ward, J.M., and Gonzalez, F.J. (1996). Aryl-hydrocarbon receptor-deficient mice are resistant to 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced toxicity. *Toxicol. Appl. Pharmacol.* 140, 173–179.
- Fraga, C.G., Motchnik, P.A., Shigenaga, M.K., Helbrook, H.J., Jacob, R.A., and Ames, B.N. (1991). Ascorbic acid protects against endogenous oxidative damage in human sperm. *Proc. Natl. Acad. Sci. USA* 88, 11003–11006.

- Fraga, C.G., Motchnik, P.A., Wyrobek, A.J., Rempel, D.M., and Ames, B.N. (1996). Smoking and low antioxidant levels increase oxidative damage to sperm DNA. *Mutat. Res.* 351, 199–203.
- Freedman, D.A., Gold, L.S., and Lin, T.H. (1996). Concordance between rats and mice in bioassays for carcinogenesis. *Regul. Toxicol. Pharmacol.* 23, 225–232. <http://www.idealibrary.com/links/doi/10.1006/rtpb.1996.0046/pdf>.
- Freedman, D.A., Gold, L.S., and Slone, T.H. (1993). How tautological are inter-species correlations of carcinogenic potency? *Risk Anal.* 13, 265–272.
- Freedman, D.A., and Zeisel, H. (1988). From mouse to man: The quantitative assessment of cancer risks. *Stat. Sci.* 3, 3–56.
- Freidman, G.D., and Habel, L.A. (1999). Barbiturates and lung cancer: A re-evaluation. *Int. J. Cancer* 28, 375–379.
- Gaido, K., Dohme, L., Wang, F., Chen, I., Blankvoort, B., Ramamoorthy, K., and Safe, S. (1998). Comparative estrogenic activity of wine extracts and organochlorine pesticide residues in food. *Environ. Health Perspect.* 106 (Suppl. 6), 1347–1351.
- Galanis, D.J., Kolonel, L.N., Lee, J., and Nomura, A. (1998). Intakes of selected foods and beverages and the incidence of gastric cancer among the Japanese residents of Hawaii: A prospective study. *Int. J. Epidemiol.* 27, 173–180.
- Gammon, M.D., Wolff, M.S., Neugut, A.I., Eng, S.M., Teitelbaum, S.L., Britton, J.A., Terry, M.B., Levin, B., Stellman, S.D., Kabat, G.C., Hatch, M., Senie, R., Berkowitz, G., Bradlow, H.L., Garbowksi, G., Maffeo, C., Montalvan, P., Kemeny, M., Citron, M., Schnabel, F., Schuss, A., Hajdu, S., Vinezguerra, V., Niguidula, N., Ireland, K., and Santella, R.M. (2002). Environmental Toxins and Breast Cancer on Long Island. II. Organochlorine Compound Levels in Blood. *Cancer Epidemiol. Biomarkers Prev.* 11, 686–697.

- Gartrell, M.J., Craun, J.C., Podrebarac, D.S., and Gunderson, E.L. (1986). Pesticides, selected elements, and other chemicals in adult total diet samples, October 1980–March 1982. *J. Assoc. Off. Anal. Chem.* 69, 146–161.
- Gaylor, D.W., Chen, J.J., and Sheehan, D.M. (1993). Uncertainty in cancer risk estimates. *Risk Anal.* 13, 149–154.
- Gaylor, D.W., and Gold, L.S. (1995). Quick estimate of the regulatory virtually safe dose based on the maximum tolerated dose for rodent bioassays. *Regul. Toxicol. Pharmacol.* 22, 57–63. doi:10.1006/rtpb.1995.1069.
- Gaylor, D.W., and Gold, L.S. (1998). Regulatory cancer risk assessment based on a quick estimate of a benchmark dose derived from the maximum tolerated dose. *Regul. Toxicol. Pharmacol.* 28, 222–225. doi: 10.1006/rtpb.1998.1258.
- Giovannucci, E., Ascherio, A., Rimm, E.B., Colditz, G.A., Stampfer, M.J., and Willett, W.C. (1995). Physical activity, obesity, and risk of colon cancer and adenoma in men. *Ann. Intern. Med.* 122, 327–334.
- Giovannucci, E., Colditz, G.A., Stampfer, M.J., and Willett, W.C. (1996). Physical activity, obesity, and risk of colorectal adenoma in women (United States). *Cancer Causes Control* 7, 253–263.
- Giovannucci, E., Rimm, E.B., Liu, Y., and Stampfer, M.J. (2002). A prospective study of tomato products, lycopene, and prostate cancer risk. *J. Natl. Cancer Inst.* 94, 391–398.
- Giovannucci, E., Stampfer, M.J., Colditz, G.A., Hunter, D.J., Fuchs, C., Rosner, B.A., Speizer, F.E., and Willett, W.C. (1998). Multivitamin use, folate, and colon cancer in women in the Nurses' Health Study. *Ann. Intern. Med.* 129, 517–524.
- Giovannucci, E., Stampfer, M.J., Colditz, G.A., Rimm, E.B., Trichopoulos, D., Rosner, B.A., Speizer, F.E., and Willett, W.C. (1993). Folate, methionine, and alcohol in-

- take and risk of colorectal adenoma. *J. Natl. Cancer Inst.* 85, 875–884.
- Glória, M.B.A., Barbour, J.F., and Scanlan, R.A. (1997). N-nitrosodimethylamine in Brazilian, US domestic, and US imported beers. *J. Agric. Food Chem.* 45, 814–816.
- Gold, L.S., Backman, G.M., Hooper, N.K., and Peto, R. (1987a). Ranking the potential carcinogenic hazards to workers from exposures to chemicals that are tumorigenic in rodents. *Environ. Health Perspect.* 76, 211–219.
- Gold, L.S., Wright, C., Bernstein, L., and de Veciana, M. (1987b). Reproducibility of results in “near-replicate” carcinogenesis bioassays. *J. Natl. Cancer Inst.* 78, 1149–1158.
- Gold, L.S., Bernstein, L., Magaw, R., and Slone, T.H. (1989a). Interspecies extrapolation in carcinogenesis: Prediction between rats and mice. *Environ. Health Perspect.* 81, 211–219.
- Gold, L.S., Slone, T.H., and Bernstein, L. (1989b). Summary of carcinogenic potency ( $TD_{50}$ ) and positivity for 492 rodent carcinogens in the Carcinogenic Potency Database. *Environ. Health Perspect.* 79, 259–272.
- Gold, L.S., Slone, T.H., Stern, B.R., Manley, N.B., and Ames, B.N. (1992). Rodent carcinogens: Setting priorities. *Science* 258, 261–265. <http://potency.berkeley.edu/text/science.html>.
- Gold, L.S., Garfinkel, G.B., and Slone, T.H. (1994a). Setting priorities among possible carcinogenic hazards in the workplace. In *Chemical Risk Assessment and Occupational Health: Current Applications, Limitations, and Future Prospects* (C.M. Smith, D.C. Christiani and K.T. Kelsey, eds.), pp. 91–103. Auburn House, Westport, CT.
- Gold, L.S., Slone, T.H., Manley, N.B., and Ames, B.N. (1994b). Heterocyclic amines formed by cooking food: Comparison of bioassay results with other chemicals in the Carcinogenic Potency Database. *Cancer Lett.* 83, 21–29.

- Gold, L.S., and Zeiger, E., eds. (1997). *Handbook of Carcinogenic Potency and Genotoxicity Databases*. CRC Press, Boca Raton, FL. <http://potency.berkeley.edu/crcbook.html>.
- Gold, L.S., Slone, T.H., and Ames, B.N. (1997a). Overview of Analyses of the Carcinogenic Potency Database. In *Handbook of Carcinogenic Potency and Genotoxicity Databases* (L.S. Gold and E. Zeiger, eds.), pp. 661–685. CRC Press, Boca Raton, FL.
- Gold, L.S., Slone, T.H., and Ames, B.N. (1997b). Prioritization of possible carcinogenic hazards in food. In *Food Chemical Risk Analysis* (D.R. Tennant, ed.), pp. 267–295. Chapman and Hall, London. <http://potency.berkeley.edu/text/maff.html>.
- Gold, L.S., Slone, T.H., Ames, B.N., Manley, N.B., Garfinkel, G.B., and Rohrbach, L. (1997c). Carcinogenic Potency Database. In *Handbook of Carcinogenic Potency and Genotoxicity Databases* (L. S. Gold and E. Zeiger, eds.), pp. 1–605. CRC Press, Boca Raton, FL. <http://potency.berkeley.edu/database.html>.
- Gold, L.S., Stern, B.R., Slone, T.H., Brown, J.P., Manley, N.B., and Ames, B.N. (1997d). Pesticide residues in food: Investigation of disparities in cancer risk estimates. *Cancer Lett.* 117, 195–207. <http://potency.berkeley.edu/text/pesticide.html>.
- Gold, L.S., Slone, T.H., and Ames, B.N. (1998). What do animal cancer tests tell us about human cancer risk? Overview of analyses of the Carcinogenic Potency Database. *Drug Metab. Rev.* 30, 359–404. <http://potency.berkeley.edu/text/drugmetrev.html>.
- Gold, L.S., Manley, N.B., Slone, T.H., and Rohrbach, L. (1999). Supplement to the Carcinogenic Potency Database (CPDB): Results of animal bioassays published in the general literature in 1993 to 1994 and by the National Toxicology Program in 1995 to 1996. *En-*

- viron. *Health Perspect.* 107 (Suppl. 4), 527–600. <http://ehpnet1.niehs.nih.gov/docs/1999/suppl-4/toc.html>.
- Gold, L.S., Manley, N.B., Slone, T.H., and Ward, J.M. (2001a). Compendium of chemical carcinogens by target organ: Results of chronic bioassays in rats, mice, hamsters, dogs and monkeys. *Toxicol. Pathol.* 29, 639–652.
- Gold, L.S., Slone, T.H., Ames, B.N., and Manley, N.B. (2001b). Pesticide residues in food and cancer risk: A critical analysis. In *Handbook of Pesticide Toxicology* (R.I. Krieger, ed.), Vol. 1, pp. 799–843. Academic Press, New York.
- Goodman, D.G., and Sauer, R.M. (1992). Hepatotoxicity and carcinogenicity in female Sprague-Dawley rats treated with 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD): A pathology working group reevaluation. *Regul. Toxicol. Pharmacol.* 15, 245–252.
- Goodman, J.I. (1994). A rational approach to risk assessment requires the use of biological information: An Analysis of the National Toxicology Program (NTP), final report of the advisory review by the NTP Board of Scientific Counselors. *Regul. Toxicol. Pharmacol.* 19, 51–59.
- Gough, M. (1990). How much cancer can EPA regulate away? *Risk Anal.* 10, 1–6.
- Graham, J.D., and Wiener, J.B., eds. (1995). *Risk versus Risk: Tradeoffs in Protecting Health and the Environment*. Harvard University Press, Cambridge, MA.
- Gray-Donald, K., Jacobs-Starkey, L., and Johnson-Down, L. (2000). Food habits of Canadians: Reduction in fat intake over a generation. *Can. J. Public Health* 91, 381–385.
- Gribble, G.W. (1996). The diversity of natural organo-chlorines in living organisms. *Pure Appl. Chem.* 68, 1699–1712.

- Grodstein, F., Stampfer, M.J., Colditz, G.A., Willett, W.C., Manson, J.E., Joffe, M., Rosner, B., Fuchs, C., Hankinson, S.E., Hunter, D.J., Hennekens, C.H., and Speizer, F.E. (1997). Postmenopausal hormone therapy and mortality. *N. Engl. J. Med.* 336, 1769–1775.
- Groopman, J.D., Zhu, J.Q., Donahue, P.R., Pikul, A., Zhang, L.S., Chen, J.S., and Wogan, G.N. (1992). Molecular dosimetry of urinary aflatoxin-DNA adducts in people living in Guangxi Autonomous Region, People's Republic of China. *Cancer Res.* 52, 45–52.
- Gruenwald, J., Brendler, T., and Jaenicke, C., eds. (1998). *PDR for Herbal Medicines*. Medical Economics Company, Montvale, NJ.
- Guallar, E., and Goodman, S.N. (2001). Statins and cancer: A case of meta-uncertainty. *Am. J. Med.* 110, 738–740.
- Gunawardhana, L., Mobley, S.A., and Sipes, I.G. (1993). Modulation of 1,2-dichlorobenzene hepatotoxicity in the Fischer-344 rat by a scavenger of superoxide anions and an inhibitor of Kupffer cells. *Toxicol. Appl. Pharmacol.* 119, 205–213.
- Gunderson, E.L. (1995). Dietary intakes of pesticides, selected elements, and other chemicals: FDA Total Diet Study, June 1984–April 1986. *J. Assoc. Off. Anal. Chem.* 78, 910–921.
- Gyllenborg, J., Skakkebaek, N.E., Nielsen, N.C., Keiding, N., and Giwercman, A. (1999). Secular and seasonal changes in semen quality among young Danish men: a statistical analysis of semen samples from 1,927 donor candidates during 1977–1995. *Int. J. Androl.* 22, 28–36.
- Hagen, T.M., Liu, J., Lykkesfeldt, J., Wehr, C.M., Ingersoll, R.T., Vinarsky, V., Bartholomew, J.C., and Ames, B.N. (2002). Feeding acetyl-*L*-carnitine and lipoic acid to old rats significantly improves metabolic function while decreasing oxidative stress. *Proc. Natl. Acad. Sci. USA* 99, 1870–1875.

- Hagen, T.M., Yowe, D.L., Bartholomew, J.C., Wehr, C.M., Do, K.L., Park, J.-Y., and Ames, B.N. (1997). Mitochondrial decay in hepatocytes from old rats: Membrane potential declines, heterogeneity and oxidants increase. *Proc. Natl. Acad. Sci. USA* 94, 3064–3069.
- Hahn, R.W., ed. (1996). *Risks, Costs, and Lives Saved: Getting Better Results from Regulation*. Oxford University Press, New York.
- Hahn, R.W., and Stavins, R.N. (2001). *National Environmental Policy During the Clinton Years 1992–2000*. Harvard University, Cambridge, MA.
- Hall, R.L., Henry, S.H., Scheuplein, R.J., Dull, B.J., and Rulis, A.M. (1989). Comparison of the carcinogenic risks of naturally occurring and adventitious substances in food. In *Food Toxicology: A Perspective on the Relative Risks* (S. L. Taylor and R. A. Scanlan, eds.), pp. 205–224. Marcel Dekker, New York.
- Hard, G.C., and Whysner, J. (1994). Risk assessment of *d*-limonene: An example of male rat-specific renal tumorigens. *Crit. Rev. Toxicol.* 24, 231–254.
- Hart, R., Neumann, D., and Robertson, R. (1995a). *Dietary Restriction: Implications for the Design and Interpretation of Toxicity and Carcinogenicity Studies*. ILSI Press, Washington, DC.
- Hart, R.W., Keenan, K., Turturro, A., Abdo, K.M., Leakey, J., and Lyn-Cook, B. (1995b). Caloric restriction and toxicity. *Fundam. Appl. Toxicol.* 25, 184–195.
- Havel, R.J., and Kane, J.P. (1982). Therapy of hyperlipidemic states. *Ann. Rev. Med.* 33, 417.
- Hayashi, F., Tamura, H., Yamada, J., Kasai, H., and Suga, T. (1994). Characteristics of the hepatocarcinogenesis caused by dehydroepiandrosterone, a peroxisome proliferator, in male F-344 rats. *Carcinogenesis* 15, 2215–2219.
- Health Canada (1995). *Drugs Directorate Policy on Herbals used as Non-medicinal Ingredients in Nonprescription*

- Drugs in Human Use, Vol. 2001.* Health Canada. [http://www.hc-sc.gc.ca/hpb-dgps/therapeut/zfiles/english/policy/issued/herbnmi\\_e.html](http://www.hc-sc.gc.ca/hpb-dgps/therapeut/zfiles/english/policy/issued/herbnmi_e.html).
- Health Canada (1998). *Mandatory Fortification of Flour and Pasta with Folic Acid. Schedule 1066.* Health Canada, Toronto, Canada.
- Health Canada (2000). *Food and Drugs Act and Regulations, Vol. 2001.* Health Canada. [http://www.hc-sc.gc.ca/food-aliment/english/publications/acts\\_and\\_regulations/food\\_and\\_drugs\\_acts/index.html](http://www.hc-sc.gc.ca/food-aliment/english/publications/acts_and_regulations/food_and_drugs_acts/index.html).
- Hecht, S.S., and Hoffmann, D. (1998). N-nitroso compounds and man: sources of exposure, endogenous formation and occurrence in body fluids. *Eur. J. Cancer Prev.* 7, 165–166.
- Heddle, J.A. (1998). The role of proliferation in the origin of mutations in mammalian cells. *Drug Metab. Rev.* 30, 327–338.
- Heinrich, L., and Baltes, W. (1987). Über die Bestimmung von Phenolen im Kaffegetränk. *Z. Lebensm. Unters. Forsch.* 185, 362–365.
- Helbock, H.J., Beckman, K.B., Shigenaga, M.K., Walter, P.B., Woodall, A.A., Yeo, H.C., and Ames, B.N. (1998). DNA oxidation matters: The HPLC-electrochemical detection assay of 8-oxo-deoxyguanosine and 8-oxo-guanine. *Proc. Natl. Acad. Sci. USA* 95, 288–293.
- Henderson, B.E., and Feigelson, H.S. (2000). Hormonal carcinogenesis. *Carcinogenesis* 21, 427–33.
- Henderson, B.E., Ross, R.K., and Pike, M.C. (1991). Towards the primary prevention of cancer. *Science* 254, 1131–1138.
- Herbert, V., and Filer, L.J., Jr. (1996). Vitamin B-12. In *Present Knowledge in Nutrition* (E. E. Ziegler, ed.), pp. 191–205. ILSI Press, Washington, DC.
- Herrmann, K. (1978). Review on nonessential constituents of vegetables. III. Carrots, celery, parsnips, beets, spinach, lettuce, endives, chicory, rhubarb, and artichokes. *Z. Lebensm. Unters. Forsch.* 167, 262–273.

- Hill, L.L., Ouhtit, A., Loughlin, S.M., Kripke, M.L., Ananthaswamy, H.N., and Owen-Schaub, L.B. (1999). Fas ligand: A sensor for DNA damage critical in skin cancer etiology. *Science* 285, 898–900.
- Hill, M.J., Giacosa, A., and Caygill, C.P.J., eds. (1994). *Epidemiology of Diet and Cancer*. Ellis Horwood, New York.
- Hirono, I., Mori, H., and Haga, M. (1978). Carcinogenic activity of *Symphytum officinale*. *J. Natl. Cancer Inst.* 61, 865–868.
- Huang, Z., Hankinson, S.E., Colditz, G.A., Stampfer, M.J., Hunter, D.J., Manson, J.E., Hennekens, C.H., Rosner, B., Speizer, F.E., and Willett, W.C. (1997). Dual effects of weight and weight gain on breast cancer risk. *JAMA* 278, 1407–1411.
- Hunter, D.J., Spiegelman, D., Adami, H.O., Beeson, L., van den Brandt, P.A., Folsom, A.R., Fraser, G.E., Goldbohm, R.A., Graham, S., Howe, G.R., Kushi, L.H., Marshall, J.R., McDermott, A., Miller, A.B., Speizer, F.E., Wolk, A., Yaun, S.-S., and Willett, W.C. (1996). Cohort studies of fat intake and the risk of breast cancer—a pooled analysis. *N. Engl. J. Med.* 334, 356–361.
- Hunter, D.J., Spiegelman, D., and Willett, W. (1998). Dietary fat and breast cancer. *J. Natl. Cancer Inst.* 90, 1303–1306.
- Hunter, D.J., and Willett, W.C. (1993). Diet, body size, and breast cancer. *Epidemiol. Rev.* 15, 110–132.
- Huxtable, R. (1995). Pyrrolizidine alkaloids: Fascinating plant poisons. *Newsletter, Center for Toxicology, Southwest Environmental Health Sciences Center* Fall, 1–3.
- Ince, N., and Wands, J.R. (1999). The increasing incidence of hepatocellular carcinoma. *N. Engl. J. Med.* 340, 798–799.
- Innes, J.R.M., Ulland, B.M., Valerio, M.G., Petruccielli, L., Fishbein, L., Hart, E.R., Pallotta, A.J., Bates, R.R., Falk, H.L., Gart, J.J., Klein, M., Mitchell, I., and Peters, J. (1969).

- Bioassay of pesticides and industrial chemicals for tumorigenicity in mice: A preliminary note. *J. Natl. Cancer Inst.* 42, 1101–1114.
- International Agency for Research on Cancer (1971–2001). *IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Humans*. IARC, Lyon, France.
- International Agency for Research on Cancer (1971–2002). *IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Humans*. IARC, Lyon, France.
- International Agency for Research on Cancer (1986). *Tobacco Smoking*. IARC, Lyon, France.
- International Agency for Research on Cancer (1988). *Alcohol Drinking*. IARC, Lyon, France.
- International Agency for Research on Cancer (1991). *Coffee, Tea, Mate, Methylxanthines and Methylglyoxal*. IARC, Lyon, France.
- International Agency for Research on Cancer (1993). *Some Naturally Occurring Substances: Food Items, Constituents, and Heterocyclic Aromatic Amines and Mycotoxins*. IARC, Lyon, France.
- International Agency for Research on Cancer (1996). *Some Pharmaceutical Drugs*. IARC, Lyon, France.
- International Agency for Research on Cancer (1997). *Poly-chlorinated Dibenzo-para-dioxins and Polychlorinated Dibenzofurans*. IARC, Lyon, France.
- International Agency for Research on Cancer (1999a). *Re-Evaluation of Some Organic Chemicals, Hydrazine and Hydrogen Peroxide*. IARC, Lyon, France.
- International Agency for Research on Cancer (1999b). *Some Chemicals That Cause Tumours of the Kidney or Urinary Bladder in Rodents and Some Other Substances*. IARC, Lyon, France.
- International Agency for Research on Cancer (2002, in press). *Tobacco Smoke and Involuntary Smoking*. IARC, Lyon, France.

- International Life Sciences Institute (February 1996). Occurrence and significance of ochratoxin A in food. ILSI Europe Workshop, 10–12 January 1996, Aix-en-Provence, France. *ILSI Europe Newsletter*, 3.
- Ivie, G.W., Holt, D.L., and Ivey, M. (1981). Natural toxicants in human foods: Psoralens in raw and cooked parsnip root. *Science* 213, 909–910.
- Jacobson, E.L. (1993). Niacin deficiency and cancer in women. *J. Am. Coll. Nutr.* 12, 412–416.
- Jacques, P.F., Selhub, J., Bostom, A.G., Wilson, P.W., and Rosenberg, I.H. (1999). The effect of folic acid fortification on plasma folate and total homocysteine concentrations. *N. Engl. J. Med.* 340, 1449–1454.
- Jansen, M.C.J.F., Bueno-de-Mesquita, H.B., Räsänen, L., Fidanza, F., Nissinen, A.M., Menotti, A., Kok, F.J., and Kromhout, D. (2001). Cohort analysis of fruit and vegetable consumption and lung cancer mortality in European men. *Int. J. Cancer* 92, 913–918.
- Japanese Environmental Agency (1999). *Report on the Tolerable Daily Intake (TDI) of Dioxin and Related Compounds*. Ministry of Health and Welfare, Tokyo.
- Ji, B.-T., Shu, X.-O., Linet, M.S., Zheng, W., Wacholder, S., Gao, Y.-T., Ying, D.-M., and Jin, F. (1997). Paternal cigarette smoking and the risk of childhood cancer among offspring of nonsmoking mothers. *J. Natl. Cancer Inst.* 89, 238–244.
- Jukes, T.H. (1974). DDT. *JAMA* 229, 571–573.
- Kasum, C.M., Jacobs, D.R., Jr., Nicodemus, K., and Folsom, A.R. (2002). Dietary risk factors for upper aerodigestive tract cancers. *Int. J. Cancer* 99, 267–272.
- Keating, G.A., and Bogen, K.T. (2001). Methods for estimating heterocyclic amine concentrations in cooked meats in the US diet. *Food Chem. Toxicol.* 39, 29–43.
- Keeney, R.L. (1990). Mortality risks induced by economic expenditures. *Risk Anal.* 10, 147–159.

- Kelloff, G.J., Boone, C.W., Crowell, J.A., Steele, V.E., Lubet, R.A., Doody, L.A., Malone, W.F., Hawk, E.T., and Sigman, C.C. (1996a). New agents for cancer chemoprevention. *J. Cell Biochem. Suppl.* 26, 1–28.
- Kelloff, G.J., Crowell, J.A., Hawk, E.T., Steele, V.E., Lubet, R.A., Boone, C.W., Covey, J.M., Doody, L.A., Omenn, G.S., Greenwald, P., Hong, W.K., Parkinson, D.R., Bagheri, D., Baxter, G.T., Blunden, M., Doeltz, M.K., Eisenhauer, K.M., Johnson, K., Knapp, G.G., Longfellow, G., Malone, W.F., Nayfield, S.G., Seifried, H.E., Swall, L.M., and Sigman, C.C. (1996b). Strategy and planning for chemopreventive drug development: Clinical development plans II. *J. Cell Biochem. Suppl.* 26, 54–71.
- Kelsey, J.L., and Bernstein, L. (1996). Epidemiology and prevention of breast cancer. *Annu. Rev. Public Health* 17, 47–67.
- Key, T., and Reeves, G. (1994). Organochlorines in the environment and breast cancer. *Br. Med. J.* 308, 1520–1521.
- Knize, M.G., Dolbeare, F.A., Carroll, K.L., Moore II, D.H., and Felton, J.S. (1994). Effect of cooking time and temperature on the heterocyclic amine content of fried beef patties. *Food Chem. Toxicol.* 32, 595–603.
- Kolata, G. (1996). Measuring men up, sperm by sperm. In *New York Times*, Vol. 145, pp. E4(N), E4(L).
- Krebs-Smith, S.M., Cook, A., Subar, A.F., Cleveland, L., and Friday, J. (1995). US adults' fruit and vegetable intakes, 1989 to 1991: A revised baseline for the Healthy People 2000 objective. *Am. J. Public Health* 85, 1623–1629.
- Krebs-Smith, S.M., Cook, A., Subar, A.F., Cleveland, L., Friday, J., and Kahle, L.L. (1996). Fruit and vegetable intakes of children and adolescents in the United States. *Arch. Pediatr. Adolesc. Med.* 150, 81–86.
- Krul, C., Humblot, C., Philippe, C., Vermeulen, M., van Nuenen, M., Havenaar, R., and Rabot, S. (2002). Metabolism of sinigrin (2-propenyl glucosinolate) by the

- human colonic microflora in a dynamic *in vitro* large-intestinal model. *Carcinogenesis* 23, 1009–1016.
- Kuiper-Goodman, T., and Scott, P.M. (1989). Risk assessment of the mycotoxin ochratoxin A. *Biomed. Environ. Sci.* 2, 179–248.
- Laden, F., Hankinson, S.E., Wolff, M.S., Colditz, G.A., Willett, W.C., Speizer, F.E., and Hunter, D.J. (2001). Plasma organochlorine levels and the risk of breast cancer: An extended follow-up in the Nurses' Health Study. *Int. J. Cancer* 91, 568–574.
- Laskin, D.L., and Pendino, K.J. (1995). Macrophages and inflammatory mediators in tissue injury. *Annu. Rev. Pharmacol. Toxicol.* 35, 655–677.
- Laskin, D.L., Robertson, F.M., Pilaro, A.M., and Laskin, J.D. (1988). Activation of liver macrophages following phenobarbital treatment of rats. *Hepatology* 8, 1051–1055.
- Lau, V.K., and Lindsay, R.C. (1972). Quantification of mono-carbonyl compounds in staling beer. *Master Brew. Assoc. Am. Tech. Q.* 9, xvii–xviii.
- Lijinsky, W. (1999). N-Nitroso compounds in the diet. *Mutat. Res.* 443, 129–138.
- Lin, T.H., Gold, L.S., and Freedman, D.A. (1995). Carcinogenicity tests and interspecies concordance. *Stat. Sci.* 10, 337–353.
- Linet, M.S., Ries, L.A., Smith, M.A., Tarone, R.E., and Devesa, S.S. (1999). Cancer surveillance series: Recent trends in childhood cancer incidence and mortality in the United States. *J. Natl. Cancer Inst.* 91, 1051–1058.
- Liu, J., Head, E., Gharib, A.M., Yuan, W., Ingersoll, R.T., Hagen, T.M., Cotman, C.W., and Ames, B.N. (2002a). Memory loss in old rats is associated with brain mitochondrial decay and RNA/DNA oxidation: Partial reversal by feeding acetyl-L-carnitine and/or R- $\alpha$ -lipoic acid. *Proc. Natl. Acad. Sci. USA* 99, 2356–2361.

- Liu, J., Killilea, D.W., and Ames, B.N. (2002b). Age-associated mitochondrial oxidative decay: Improvement of carnitine acetyltransferase substrate-binding affinity and activity in brain by feeding old rats acetyl-*L*-carnitine and/or *R*- $\alpha$ -lipoic acid. *Proc. Natl. Acad. Sci. USA* 99, 1876–1881.
- Lok, E., Scott, F.W., Mongeau, R., Nera, E.A., Malcolm, S., and Clayson, D.B. (1990). Calorie restriction and cellular proliferation in various tissues of the female Swiss Webster mouse. *Cancer Lett.* 51, 67–73.
- Lucas, C.D., Putnam, J.D., and Halligan, J.B. (1999). 1995 *Poundage and Technical Effects Update Survey*. Flavor and Extract Manufacturer's Association of the United States, Washington, DC.
- Luckey, T.D. (1999). Nurture with ionizing radiation: A provocative hypothesis. *Nutr. Cancer* 34, 1–11.
- Lykkesfeldt, J., Christen, S., Walloock, L.M., Chang, H.H., Jacob, R.A., and Ames, B.N. (2000). Ascorbate is depleted by smoking and repleted by moderate supplementation: A study in male smokers and nonsmokers with matched dietary antioxidant intakes. *Am. J. Clin. Nutr.* 71, 530–536.
- Makomaski Illing, E.M., and Kaiserman, M.J. (1999). Mortality attributable to tobacco use in Canada and its regions, 1994 and 1996. *Chronic Dis. Can.* 20, 111–117.
- Manuel, D.G., and Hockin, J. (2000). Recent trends in provincial life expectancy. *Can. J. Public Health* 91, 118–119.
- Marsh, G.M., Lucas, L.J., Youk, A.O., and Schall, L.C. (1999). Mortality patterns among workers exposed to acrylamide: 1994 follow up. *Occup. Environ. Med.* 56, 181–190.
- Martinez, M.E., Giovannucci, E., Spiegelman, D., Hunter, D.J., Willett, W.C., and Colditz, G.A. (1997). Leisure-time physical activity, body size, and colon cancer in women. Nurses' Health Study Research Group. *J. Natl. Cancer Inst.* 89, 948–955.

- Mason, J.B. (1994). Folate and colonic carcinogenesis: Searching for a mechanistic understanding. *J. Nutr. Biochem.* 5, 170–175.
- Matanoski, G., Francis, M., Correa-Villaseñor, A., Elliot, E., Santos-Brugoa, C., and Schwartz, L. (1993). Cancer epidemiology among styrene–butadiene rubber workers. *IARC Sci. Pub.* 127, 363–374.
- Matsumoto, K., Ito, M., Yagyu, S., Ogino, H., and Hirono, I. (1991). Carcinogenicity examination of *Agaricus bisporus*, edible mushroom, in rats. *Cancer Lett.* 58, 87–90.
- McCann, J., Horn, L., Girman, J., and Nero, A.V. (1987). Potential risks from exposure to organic carcinogens in indoor air. In *Short-Term Bioassays in the Analysis of Complex Environmental Mixtures* (S.S. Sandhu, D.M. deMarini, M.J. Mass, M.M. Moore and J.L. Mumford, eds.), pp. 325–354. Plenum, New York.
- McClain, R.M. (1990). Mouse liver tumors and microsomal enzyme-inducing drugs: experimental and clinical perspectives with phenobarbital. *Prog. Clin. Biol. Res.* 331, 345–365.
- McClain, R.M. (1994). Mechanistic considerations in the regulation and classification of chemical carcinogens. In *Nutritional Toxicology* (F.N. Kotsonis, M. Mackey and J.J. Hjelle, eds.), pp. 273–304. Raven Press, New York.
- McCormick, D.L., Rao, K.V.N., Johnson, W.D., Bowman-Gram, T.A., Steele, V.E., Lubet, R.A., and Kelloff, G.J. (1996). Exceptional chemopreventive activity of low-dose dehydroepiandrosterone in the rat mammary gland. *Cancer Res.* 56, 1724–1726.
- McCullough, M.L., Robertson, A.S., Jacobs, E.J., Chao, A., Calle, E.E., and Thun, M.J. (2001). A prospective study of diet and stomach cancer mortality in United States men and women. *Cancer Epidemiol. Biomarkers Prev.* 10, 1201–1205.

- McKone, T.E. (1987). Human exposure to volatile organic compounds in household tap water: The indoor inhalation pathway. *Environ. Sci. Technol.* 21, 1194–1201.
- McKone, T.E. (1993). Linking a PBPK model for chloroform with measured breath concentrations in showers: Implications for dermal exposure models. *J. Expo. Anal. Environ. Epidemiol.* 3, 339–365.
- McLean, A.E.M., Driver, H.E., Lowe, D., and Sutherland, I. (1986). Thresholds for tumour promotion by phenobarbital after nitrosamine exposure in rat and man (Abstract). *Toxicol. Letters* 31 (Suppl.), 200.
- Mengs, U. (1982). The carcinogenic action of aristolochic acid in rats. *Arch. Toxicol.* 51, 107–119.
- Mengs, U. (1988). Tumour induction in mice following exposure to aristolochic acid. *Arch. Toxicol.* 61, 504–505.
- Michels, K.B., Giovannucci, E., Joshipura, K.J., Rosner, B.A., Stampfer, M.J., Fuchs, C.S., Colditz, G.A., Speizer, F.E., and Willett, W.C. (2000). Prospective study of fruit and vegetable consumption and incidence of colon and rectal cancers. *J. Natl. Cancer Inst.* 92, 1740–1752.
- Ministry of Environment and Energy (1997). *Green Facts: Environment and Energy Topics at a Glance. Dioxins and Furans*. Ministry of Environment and Energy, Toronto, Ontario. <http://www.ene.gov.on.ca/cons/681e01.pdf>.
- Mosel, H.D., and Herrmann, K. (1974). The phenolics of fruits. III. The contents of catechins and hydroxycinnamic acids in pome and stone fruits. *Z. Lebensm. Unters. Forsch.* 154, 6–11.
- Munday, R., and Munday, C.M. (1999). Low doses of diallyl disulfide, a compound derived from garlic, increase tissue activities of quinone reductase and glutathione transferase in the gastrointestinal tract of the rat. *Nutr. Cancer* 34, 42–48.
- National Cancer Institute of Canada (2000). *Canadian Cancer Statistics 2000*. NCIC, Toronto, Canada.

- National Cancer Institute of Canada (2001). *Canadian Cancer Statistics 2001*. NCIC, Toronto, Canada.
- National Research Council (1979). *The 1977 Survey of Industry on the Use of Food Additives*. National Academy Press, Washington, DC.
- National Research Council (1987). *Regulating Pesticides in Food: The Delaney Paradox*. National Academy Press, Washington, DC.
- National Research Council (1996). *Carcinogens and Anticarcinogens in the Human Diet: A Comparison of Naturally Occurring and Synthetic Substances*. National Academy Press, Washington, DC.
- National Research Council (1999). *Hormonally Active Agents in the Environment*. National Academy Press, Washington, DC.
- Nephew, T.M., Williams, G.D., Stinson, F.S., Nguyen, K., and Dufour, M.C. (2000). *Surveillance Report #55: Apparent per Capita Alcohol Consumption: National, State and Regional Trends, 1977–1998*. National Institute on Alcohol Abuse and Alcoholism, Rockville, MD.
- Neurath, G.B., Dünger, M., Pein, F.G., Ambrosius, D., and Schreiber, O. (1977). Primary and secondary amines in the human environment. *Food Cosmet. Toxicol.* 15, 275–282.
- Newbold, R.R., Banks, E.P., Bullock, B., and Jefferson, W.N. (2001). Uterine adenocarcinoma in mice treated neonatally with genistein. *Cancer Res.* 61, 4325–4328.
- Nijssen, L.M., Visscher, C.A., Maarse, H., Willemensens, L.C., and Boelens, M.H., eds. (1996). *Volatile Compounds in Foods. Qualitative and Quantitative Data*. TNO-CIVO Food Analysis Institute, Zeist, The Netherlands.
- Nortier, J.L., Muniz Martinez, M.-C., Schmeiser, H.H., Arlt, V.M., Bieler, C.A., Petein, M., Depierreux, M.F., De Pauw, L., Abramowicz, D., Vereerstraeten, P., and Vanherweghem, J.-L. (2000). Urothelial carcinoma associated with the use of a Chinese herb (*Aristolochia fangchi*). *N. Engl. J. Med.* 342, 1686–1692.

- Oelkers, W. (1999). Dehydroepiandrosterone for adrenal insufficiency. *N. Engl. J. Med.* 341, 1073–1074.
- Ogawa, K., Tsuda, H., Shirai, T., Ogiso, T., Wakabayashi, K., Dalgard, D.W., Thorgeirsson, U.P., Thorgeirsson, S.S., Adamson, R.H., and Sugimura, T. (1999). Lack of carcinogenicity of 2-amino-3,8-dimethylimidazo[4,5-*f*]quinoxaline (MeIQx) in cynomolgus monkeys. *Jpn. J. Cancer Res.* 90, 622–628.
- Omenn, G.S., Stuebbe, S., and Lave, L.B. (1995). Predictions of rodent carcinogenicity testing results: Interpretation in light of the Lave-Omenn value-of-information model. *Mol. Carcinog.* 14, 37–45.
- Osler, M., Tjønneland, A., Suntum, M., Thomsen, B.L., Stripp, C., Gronbaek, M., and Overvad, K. (2002). Does the association between smoking status and selected healthy foods depend on gender? A population-based study of 54,417 middle-aged Danes. *Eur. J. Clin. Nutr.* 56, 57–63.
- Ott, M.G., Scharnweber, H.C., and Langner, R.R. (1980). Mortality experience of 161 employees exposed to ethylene dibromide in two production units. *Br. J. Ind. Med.* 37, 163–168.
- Ozasa, K., Watanabe, Y., Ito, Y., Suzuki, K., Tamakoshi, A., Seki, N., Nishino, Y., Kondo, T., Wakai, K., Ando, M., and Ohno, Y. (2001). Dietary habits and risk of lung cancer death in a large-scale cohort study (JACC Study) in Japan by sex and smoking habit. *Jpn. J. Cancer Res.* 92, 1259–1269.
- Page, N.P., and Arthur, J.L. (1978). *Special Occupational Hazard Review of Trichloroethylene*. National Institute for Occupational Safety and Health, Rockville, MD.
- Patterson, R.E., Kristal, A.R., and Neuhouser, M.L. (2001). Vitamin supplements and cancer risk: Epidemiologic research and recommendations. In *Primary and Secondary Preventive Nutrition* (A. Bendich and R. J. Deckelbau, eds.), pp. 21–43. Humana Press, Totowa, NJ.

- Paustenbach, D.J. (2002, in press). Dioxin risks in perspective: past, present and future. *Regul. Toxicol. Pharmacol.* 36.
- Peto, R., Boreham, J., Clarke, M., Davies, C., and Beral, V. (2000). UK and USA breast cancer deaths down 25% in year 2000 at ages 20–69 years. *Lancet* 355, 1822.
- Pfeffer, M.A., Keech, A., Sacks, F.M., Cobbe, S.M., Tonkin, A., Byington, R.P., Davis, B.R., Friedman, C.P., and Braunwald, E. (2002). Safety and tolerability of pravastatin in long-term clinical trials: prospective Pravastatin Pooling (PPP) Project. *Circulation* 105, 2341–2346.
- Pisani, P., Parkin, D.M., Muñoz, N., and Ferlay, J. (1997). Cancer and infection: Estimates of the attributable fraction in 1990. *Cancer Epidemiol. Biomarkers Prev.* 6, 387–400.
- Platz, E.A., Willett, W.C., Colditz, G.A., Rimm, E.B., Spiegelman, D., and Giovannucci, E. (2000). Proportion of colon cancer risk that might be preventable in a cohort of middle-aged US men. *Cancer Causes Control* 11, 579–588.
- Podrebarac, D.S. (1984). Pesticide, metal, and other chemical residues in adult total diet samples. (XIV). October 1977–September 1978. *J. Assoc. Off. Anal. Chem.* 67, 176–185.
- Pons, W.A., Jr. (1979). High pressure liquid chromatographic determination of aflatoxins in corn. *J. Assoc. Off. Anal. Chem.* 62, 586–594.
- Poole, S.K., and Poole, C.F. (1994). Thin-layer chromatographic method for the determination of the principal polar aromatic flavour compounds of the cinnamons of commerce. *Analyst* 119, 113–120.
- Prakash, A.S., Pereira, T.N., Reilly, P.E.B., and Seawright, A.A. (1999). Pyrrolizidine alkaloids in human diet. *Mutat. Res.* 443, 53–57.
- Preussmann, R., and Eisenbrand, G. (1984). *N*-nitroso carcinogens in the environment. In *Chemical Carcinogens*.

- genesis (C. E. Searle, ed.), Vol. 2, pp. 829–868. American Chemical Society (ACS), Washington DC.
- Qian, G.-S., Ross, R.K., Yu, M.C., Yuan, J.-M., Henderson, B.E., Wogan, G.N., and Groopman, J.D. (1994). A follow-up study of urinary markers of aflatoxin exposure and liver cancer risk in Shanghai, People's Republic of China. *Cancer Epidemiol. Biomarkers Prev.* 3, 3–10.
- Rahn, W., and König, W.A. (1978). GC/MS investigations of the constituents in a diethyl ether extract of an acidified roast coffee infusion. *J. High Resolut. Chromatogr. Chromatogr. Commun.* 1002, 69–71.
- Ramsey, J.C., Park, C.N., Ott, M.G., and Gehring, P.J. (1978). Carcinogenic risk assessment: Ethylene dibromide. *Toxicol. Appl. Pharmacol.* 47, 411–414.
- Rao, M.S., Subbarao, V., Yeldandi, A.V., and Reddy, J.K. (1992). Inhibition of spontaneous testicular Leydig cell tumor development in F-344 rats by dehydroepiandrosterone. *Cancer Lett.* 65.
- Rao, M.S., Subbarao, V., Yeldandi, A.V., and Reddy, J.K. (1992). Hepatocarcinogenicity of dehydroepiandrosterone in the rat. *Cancer Res.* 52, 2977–2979.
- Reddy, J.K., and Lalwani, N.D. (1983). Carcinogenesis by hepatic peroxisome proliferators: Evaluation of the risk of hypolipidemic drugs and industrial plasticizers to humans. *CRC Crit. Rev. Toxicol.* 12, 1–58.
- Reid, D.P. (1993). *Chinese Herbal Medicine*. Shambhala, Boston.
- Reinli, K., and Block, G. (1996). Phytoestrogen content of foods—a compendium of literature values. *Nutr. Cancer* 26, 123–148.
- Rice, J.M., Baan, R.A., Blettner, M., Genevois-Charmeau, C., Grosse, Y., McGregor, D.B., Partensky, C., and Wilbourn, J.D. (1999). Rodent tumors of urinary bladder, renal cortex, and thyroid gland in IARC Monographs evaluations of carcinogenic risk to humans. *Toxicol. Sci.* 49, 166–171.

- Rice-Evans, C.A., Sampson, J., Bramley, P.M., and Holloway, D.E. (1997). Why do we expect carotenoids to be antioxidants in vivo? *Free Rad. Res.* 26, 381–398.
- Ries, L.A.G., Eisner, M.P., Kosary, C.L., Hankey, B.F., Miller, B.A., Clegg, L., and Edwards, B.K., eds. (2000). *SEER Cancer Statistics Review, 1973–1997*. National Cancer Institute, Bethesda, MD.
- Roberts, R.A., and Kimber, I. (1999). Cytokines in non-genotoxic hepatocarcinogenesis. *Carcinogenesis* 20, 1397–1401.
- Robisch, G., Schimmer, O., and Gogglemann, W. (1982). Aristolochic acid is a direct mutagen in *Salmonella typhimurium*. *Mutat. Res.* 105, 201–204.
- Rockhill, B., Willett, W.C., Hunter, D.J., Manson, J.E., Hankinson, S.E., and Colditz, G.A. (1999). A prospective study of recreational physical activity and breast cancer risk. *Arch. Intern. Med.* 159, 2290–2296.
- Rosenkranz, H.S., and Klopman, G. (1990). The structural basis of carcinogenic and mutagenic potentials of phytoalexins. *Mutat. Res.* 245, 51–54.
- Safe, S., Wang, F., Porter, W., Duan, R., and McDougal, A. (1998). Ah receptor agonists as endocrine disruptors: Antiestrogenic activity and mechanisms. *Toxicol. Lett.* 102–103, 343–347.
- Safe, S.H. (1995). Environmental and dietary estrogens and human health: Is there a problem? *Environ. Health Perspect.* 103, 346–351.
- Safe, S.H. (1997). Is there an association between exposure to environmental estrogens and breast cancer? *Environ. Health Perspect.* 105 (Suppl. 3), 675–578.
- Safe, S.H. (2000). Endocrine disruptors and human health—Is there a problem? An update. *Environ. Health Perspect.* 108, 487–493.
- Saidi, J.A., Chang, D.T., Goluboff, E.T., Bagiella, E., Olsen, G., and Fisch, H. (1999). Declining sperm counts in the United States? A critical review. *J. Urol.* 161, 460–462.

- Schechter, A., Cramer, P., Boggess, K., Stanley, J., Papke, O., Olson, J., Silver, A., and Schmitz, M. (2001). Intake of dioxins and related compounds from food in the U.S. population. *J. Toxicol. Environ. Health A* 63, 1–18.
- Schmidlein, H., and Herrmann, K. (1975a). Über die Phenolsäuren des Gemüses. II. Hydroxyzimtsäuren und Hydroxybenzoësäuren der Frucht- und Samenengemüsearten. *Z. Lebensm. Unters.-Forsch.* 159, 213–218.
- Schmidlein, H., and Herrmann, K. (1975b). Über die Phenolsäuren des Gemüses. IV. Hydroxyzimtsäuren und Hydroxybenzoësäuren weiterer Gemüsearten und der Kartoffeln. *Z. Lebensm. Unters. Forsch.* 159, 255–263.
- Schreier, P., Drawert, F., and Heindze, I. (1979). Über die quantitative Zusammensetzung natürlicher und technologisch veränderter pflanzlicher Aromen. *Chem. Mikrobiol. Technol. Lebensm.* 6, 78–83.
- Schuurman, A.G., Goldbohm, R.A., Dorant, E., and van den Brandt, P.A. (1998). Vegetable and fruit consumption and prostate cancer risk: A cohort study in The Netherlands. *Cancer Epidemiol. Biomarkers Prev.* 7, 673–680.
- Schwartz, A.G., Hard, G.C., Pashko, L.L., Abou-Gharbia, M., and Swern, D. (1981). Dehydroepiandrosterone: An anti-obesity and anti-carcinogenic agent. *Nutr. Cancer* 3.
- Schwetz, B.A. (2001). Safety of aristolochic acid. *JAMA* 285, 2705.
- Science Advisory Board (2001). *An SAB Report: Review of the Office of Research and Development's Reassessment of Dioxin*. US Environmental Protection Agency, Washington, DC.
- Sellers, T.A., Bazyk, A.E., Bostick, R.M., Kushi, L.H., Olson, J.E., Anderson, K.E., Lazovich, D., and Folsom, A.R. (1998). Diet and risk of colon cancer in a large prospective study of older women: An analysis stratified on family history (Iowa, United States). *Cancer Causes Control* 9, 357–367.

- Sen, N.P., Seaman, S., and Miles, W.F. (1979). Volatile nitrosamines in various cured meat products: Effect of cooking and recent trends. *J. Agric. Food Chem.* 27, 1354–1357.
- Senti, F.R., and Pilch, S.M. (1985). Analysis of folate data from the second National Health and Nutrition Examination Survey (NHANES II). *J. Nutr.* 115, 1398–1402.
- Setchell, K.D., Zimmer-Nechemias, L., Cai, J., and Heubi, J.E. (1997). Exposure of infants to phyto-oestrogens from soy-based infant formula. *Lancet* 350, 23–27.
- Shacter, E., Beecham, E.J., Covey, J.M., Kohn, K.W., and Potter, M. (1988). Activated neutrophils induce prolonged DNA damage in neighboring cells. *Carcinogenesis* 9, 2297–2304. [published erratum appears in *Carcinogenesis* 10: 628 (1989)].
- Shields, P.G., Xu, G.X., Blot, W.J., Fraumeni, J.F., Jr., Trivers, G.E., Pellizzari, E.D., Qu, Y.H., Gao, Y.T., and Harris, C.C. (1995). Mutagens from heated Chinese and US cooking oils. *J. Natl. Cancer Inst.* 87, 836–841.
- Siegal, D.M., Frankos, V.H., and Schneiderman, M. (1983). Formaldehyde risk assessment for occupationally exposed workers. *Reg. Toxicol. Pharm.* 3, 355–371.
- Smiciklas-Wright, H., Mitchell, D.C., Mickle, S.J., Cook, A.J., and Goldman, J.D. (2002). *Foods Commonly Eaten in the United States: Quantities Consumed per Eating Occasion and in a Day, 1994–1996*. US Department of Agriculture, Beltsville, MD. <http://www.barc.usda.gov/bhnrc/foodssurvey/pdf/Portion.pdf>.
- Smith, R.L., Adams, T.B., Doull, J., Feron, V.J., Goodman, J.I., Marnett, L.J., Protoghesi, P.S., Waddell, W.J., Wagner, B.M., Rogers, A.E., Caldwell, J., and Sipes, I.G. (2002). Safety assessment of allylalkoxybenzene derivatives used as flavouring substances—methyl eugenol and estragole. *Food Chem. Toxicol.* 40, 851–870.
- Smith-Warner, S.A., Spiegelman, D., Yaun, S.S., Adami, H.O., Beeson, W.L., van den Brandt, P.A., Folsom,

- A.R., Fraser, G.E., Freudenheim, J.L., Goldbohm, R.A., Graham, S., Miller, A.B., Potter, J.D., Rohan, T.E., Speizer, F.E., Toniolo, P., Willett, W.C., Wolk, A., Zeleniuch-Jacquotte, A., and Hunter, D.J. (2001). Intake of fruits and vegetables and risk of breast cancer: a pooled analysis of cohort studies. *JAMA* 285, 769–776.
- Snyderwine, E.g., Turesky, R.J., Turteltaub, K.W., Davis, C.D., Sadrieh, N., Schut, H.A.J., Nagao, M., Sugimura, T., Thorgeirsson, U.P., Adamson, R.H., and Snorri, S. (1997). Metabolism of food-derived heterocyclic amines in nonhuman primates. *Mutat. Res.* 376, 203–210.
- Sorahan, T., Lancashire, S., Prior, P., Peck, I., and Stewart, A. (1995). Childhood cancer and parental use of alcohol and tobacco. *Ann. Epidemiol.* 5, 354–359.
- Starr, T.B. (2001). Significant shortcomings of the US Environmental Protection Agency's latest draft risk characterization for dioxin-like compounds. *Toxicol Sci* 64, 7–13.
- Steinmetz, K.A., and Potter, J.D. (1996). Vegetables, fruit, and cancer prevention: A review. *J. Am. Diet. Assoc.* 96, 1027–1039.
- Stickel, F., and Seitz, H.K. (2000). The efficacy and safety of comfrey. *Pub. Health Nutr.* 3, 501–508.
- Stofberg, J., and Grundschober, F. (1987). Consumption ratio and food predominance of flavoring materials. Second cumulative series. *Perfum. Flavor.* 12, 27–56.
- Stöhr, H., and Herrmann, K. (1975). Über die Phenolsäuren des Gemüses: III. Hydroxyzimtsäuren und Hydroxybenzoësäuren des Wurzelgemüses. *Z. Lebensm. Unters. Forsch.* 159, 219–224.
- Stoll, B.A. (1999). Dietary supplements of dehydroepiandrosterone in relation to breast cancer risk. *Eur. J. Clin. Nutr.* 53, 771–775.
- Subar, A.F., Block, G., and James, L.D. (1989). Folate intake and food sources in the US population. *Am. J. Clin. Nutr.* 50, 508–516.

- Swan, S.H., Elkin, E.P., and Fenster, L. (1997). Have sperm densities declined? A reanalysis of global trend data. *Environ. Health Perspect.* 105, 1228–1232. Letters: 106: A370–371, A420–421.
- Swenberg, J.A., and Lehman-McKeeman, L.D. (1999).  $\alpha_{2u}$ -Urinary globulin-associated nephropathy as a mechanism of renal tubule cell carcinogenesis in male rats. In *Species Differences in Thyroid, Kidney and Urinary Bladder Carcinogenesis* (C.C. Capen, E. Dybing, J.M. Rice and J.D. Wilbourn, eds.), Vol. 147, pp. 95–118. International Agency for Research on Cancer, Lyon, France.
- Takahashi, S., Tamano, S., Hirose, M., Kimoto, N., Ikeda, Y., Sakakibara, M., Tada, M., Kadlubar, F.F., Ito, N., and Shirai, T. (1998). Immunohistochemical demonstration of carcinogen-DNA adducts in tissues of rats given 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP): detection in paraffin-embedded sections and tissue distribution. *Cancer Res.* 58, 4307–4313.
- Takayama, S., Sieber, S.M., Adamson, R.H., Thorgeirsson, U.P., Dalgard, D.W., Arnold, L.L., Cano, M., Eklund, S., and Cohen, S.M. (1998). Long-term feeding of sodium saccharin to nonhuman primates: Implications for urinary tract cancer. *J. Natl. Cancer Inst.* 90, 19–25.
- Takayama, S., Sieber, S.M., Dalgard, D.W., Thorgeirsson, U.P., and Adamson, R.H. (1999). Effects of long-term oral administration of DDT on nonhuman primates. *J. Cancer Res. Clin. Oncol.* 125, 219–225.
- Tareke, E., Rydberg, P., Karlsson, P., Eriksson, S., and Törnqvist, M. (2002). Analysis of acrylamide, a carcinogen formed in heated foodstuffs. *J. Agric. Food Chem.* 50, 4998–5006.
- Technical Assessment Systems (1989). *Exposure 1 Software Package*. TAS, Washington, DC. Provided by Barbara Petersen.

- Tengs, T.O., Adams, M.E., Pliskin, J.S., Safran, D.G., Siegel, J.E., Weinstein, M.C., and Graham, J.D. (1995). Five-hundred life-saving interventions and their cost-effectiveness. *Risk Anal.* 15, 369–390.
- Terry, P., Nyrén, O., and Yuen, J. (1998). Protective effect of fruits and vegetables on stomach cancer in a cohort of Swedish twins. *Int. J. Cancer* 76, 35–37.
- Terry, P., Suzuki, R., Hu, F.B., and Wolk, A. (2001). A prospective study of major dietary patterns and the risk of breast cancer. *Cancer Epidemiol. Biomarkers Prev.* 10, 1281–1285.
- Theranaturals (2000). *Theranaturals I3C Caps.* <http://www.theranaturals.com/>.
- Thorgeirsson, U.P., Dalgard, D.W., Reeves, J., and Adamson, R.H. (1994). Tumor incidence in a chemical carcinogenesis study in nonhuman primates. *Regul. Toxicol. Pharmacol.* 19, 130–151.
- Tomatis, L., and Bartsch, H. (1990). The contribution of experimental studies to risk assessment of carcinogenic agents in humans. *Exp. Pathol.* 40, 251–266.
- Toth, B., and Erickson, J. (1986). Cancer induction in mice by feeding of the uncooked cultivated mushroom of commerce *Agaricus bisporus*. *Cancer Res.* 46, 4007–4011.
- Tressl, R. (1976). Aromastoffe des Bieres und Ihre Entstehung. *Brauwelt Jg.* 39, 1252–1259.
- Tressl, R., Bahri, D., Köppler, H., and Jensen, A. (1978). Diphenole und Caramelkomponenten in Röstkaffees verschiedener Sorten. II. Z. *Lebensm. Unters. Forsch.* 167, 111–114.
- Tricker, A.R., and Preussmann, R. (1991). Carcinogenic N-nitrosamines in the diet: Occurrence, formation, mechanisms and carcinogenic potential. *Mutat. Res.* 259, 277–289.
- Trosko, J.E. (1998). Hierarchical and cybernetic nature of biologic systems and their relevance to homeo-

- static adaptation to low-level exposures to oxidative stress-inducing agents. *Environ. Health Perspect.* 106 (Suppl. 1), 331–339.
- Tsao, R., Yu, Q., Potter, J., and Chiba, M. (2002). Direct and simultaneous analysis of sinigrin and allyl isothiocyanate in mustard samples by high-performance liquid chromatography. *J. Agric. Food Chem.* 50, 4749–4753.
- Turturro, A., Duffy, P., Hart, R., and Allaben, W.T. (1996). Rationale for the use of dietary control in toxicity studies-B6C3F<sub>1</sub> mouse. *Toxicol. Pathol.* 24, 769–775.
- US Department of Agriculture (2000). *United States: Imports of Specified Condiments, Seasonings, and Flavor Materials by Country of Origin*. USDA, Washington, DC.
- US Department of Health and Human Services (1986). *The Health Consequences of Involuntary Smoking: A Report of the Surgeon General*. USDHHS, Rockville, MD.
- US Environmental Protection Agency (1987). *Peer Review of Chlorothalonil*. Office of Pesticides and Toxic Substances, Washington, DC. Review found in Health Effect Division Document No. 007718.
- US Environmental Protection Agency (1991a). *EBDC/ETU Special Review. DRES Dietary Exposure/Risk Estimates*. USEPA, Washington, DC. Memo from R. Griffin to K. Martin.
- US Environmental Protection Agency (1991b). *Environmental Investments: The Cost of a Clean Environment*. USEPA, Washington, DC.
- US Environmental Protection Agency (1991c). *Report of the EPA Peer Review Workshop on Alpha<sub>2u</sub>-globulin: Association with Renal Toxicity and Neoplasia in the Male Rat*. USEPA, Washington, DC.
- US Environmental Protection Agency (1992a). Ethylene bis-dithiocarbamates (EBDCs); Notice of intent to cancel; Conclusion of special review. *Fed. Reg.* 57, 7484–7530.

- US Environmental Protection Agency (1992b). *Respiratory Health Effects of Passive Smoking: Lung Cancer and Other Disorders*. USEPA, Washington, DC. EPA/660/6-90/006F.
- US Environmental Protection Agency (1994a). *Estimating Exposure to Dioxin-Like Compounds (Review Draft)*. USEPA, Washington, DC.
- US Environmental Protection Agency (1994b). *Health Assessment Document for 2,3,7,8-Tetrachlorodibenzo-p-Dioxin (TCDD) and Related Compounds*. USEPA, Washington, DC.
- US Environmental Protection Agency (1995). *Re-evaluating Dioxin: Science Advisory Board's Review of EPA's Reassessment of Dioxin and Dioxin-Like Compounds*. USEPA, Washington, DC.
- US Environmental Protection Agency (1997). *Exposure Factors Handbook*. USEPA, Washington, DC.
- US Environmental Protection Agency (1998a). *Assessment of Thyroid Follicular Cell Tumors*. USEPA, Washington, DC.
- US Environmental Protection Agency (1998b). *Status of Pesticides in Registration, Reregistration, and Special Review*. USEPA, Washington, DC.
- US Environmental Protection Agency (1999). *Draft Revised Guidelines for Carcinogen Risk Assessment*. USEPA, Washington, DC.
- US Environmental Protection Agency (2000). *Exposure and Human Health Reassessment of 2,3,7,8-Tetrachlorodibenzo-p-Dioxin (TCDD) and Related Compounds. Draft Final*. USEPA, Washington, DC.
- US Environmental Protection Agency (2001). *Dioxin: Summary of the Dioxin Reassessment Science, Information Sheet 1*. USEPA, Washington, DC.
- US Environmental Protection Agency (2002). *Integrated Risk Information System (IRIS)*. Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH.

- US Environmental Protection Agency. Office of Pesticide Programs (February 8, 1984). *Ethylenedibromide (EDB) Scientific Support and Decision Document for Grain and Grain Milling Fumigation Uses*. USEPA, Washington, DC.
- US Environmental Protection Agency. Office of Pesticide Programs (1989). *Daminozide Special Review. Technical Support Document—Preliminary Determination to Cancel the Food Uses of Daminozide*. USEPA, Washington, DC.
- US Food and Drug Administration (1960). Refusal to extend effective date of statute for certain specified additives in food. *Fed. Reg.* 25, 12412.
- US Food and Drug Administration (1991a). *Butylatedhydroxyanisole (BHA) Intake: Memo from Food and Additives Color Section to L. Lin*. USFDA, Washington, DC.
- US Food and Drug Administration (1991b). FDA Pesticide Program: Residues in foods 1990. *J. Assoc. Off. Anal. Chem.* 74, 121A–141A.
- US Food and Drug Administration (1992). *Exposure to Aflatoxins*. Food and Drug Administration, Washington, DC.
- US Food and Drug Administration (1993a). *Assessment of Carcinogenic Upper Bound Lifetime Risk from Resulting Aflatoxins in Consumer Peanut and Corn Products. Report of the Quantitative Risk Assessment Committee*. USFDA, Washington, DC.
- US Food and Drug Administration (1993b). Food and Drug Administration Pesticide Program: Residue monitoring 1992. *J. Assoc. Off. Anal. Chem.* 76, 127A–148A.
- US Food and Drug Administration (2002). *Mushroom Promotion, Research, and Consumer Information Order, Vol. 2002*. US FDA. <http://www.ams.usda.gov/fv/rpmushroom.html>.
- US National Cancer Institute (1996). Why eat five? *J. Natl. Cancer Inst.* 88, 1314.

- US National Toxicology Program (1998). *Fiscal Year 1998 Annual Plan*. DHHS, Public Health Service, National Institutes of Health, Washington, DC. <http://ntp-server.niehs.nih.gov/htdocs/98AP/contents.html>.
- US National Toxicology Program (2000a). *Background Information Indole-3-carbinol (I3C) 700-06-1*. NTP, Research Triangle Park, NC. [http://ntp-server.niehs.nih.gov/htdocs/Chem\\_Background/ExSumPdf/Indolecarbinol.pdf](http://ntp-server.niehs.nih.gov/htdocs/Chem_Background/ExSumPdf/Indolecarbinol.pdf).
- US National Toxicology Program (2000b). *Ninth Report on Carcinogens*. NTP, Research Triangle Park, NC.
- US National Toxicology Program (2001). *Addendum to Ninth Report on Carcinogens: 2,3,7,8-Tetrachlorodibenzo-p-Dioxin (TCDD); DIOXIN CAS No. 1746-01-6*. NTP, Research Triangle Park, NC.
- Van den Berg, M., Birnbaum, L., Bosveld, A.T., Brunstrom, B., Cook, P., Feeley, M., Giesy, J.P., Hanberg, A., Hasegawa, R., Kennedy, S.W., Kubiak, T., Larsen, J.C., van Leeuwen, F.X., Liem, A.K., Nolt, C., Peterson, R.E., Poellinger, L., Safe, S., Schrenk, D., Tillitt, D., Tysklind, M., Younes, M., Waern, F., and Zacharewski, T. (1998). Toxic equivalency factors (TEFs) for PCBs, PCDDs, PCDFs for humans and wildlife. *Environ Health Perspect* 106, 775–792.
- Vainio, H., and Bianchini, F., eds. (2002). *Weight Control and Physical Activity*. IARC Press, Lyon, France.
- Vainio, H., Wilbourn, J.D., Sasco, A.J., Partensky, C., Gaudin, N., Heseltine, E., and Eragne, I. (1995). Identification des facteurs cancérogènes pour l'homme dans les Monographies du CIRC. *Bull. Cancer* 82, 339–348.
- van Vollenhoven, R.F. (2000). Dehydroepiandrosterone in systemic lupus erythematosus. *Rheum. Dis. Clin. North. Am.* 26, 339–348.
- Viscusi, W.K. (1992). *Fatal Tradeoffs: Public & Private Responsibilities for Risk*. Oxford University Press, New York.

- Volpe, J. (1998). *Natural Health Products: A New Vision*, Vol. 2001. Health Canada. <http://www.parl.gc.ca/InfoComDoc/36/1/HEAL/Studies/Reports/healrp02-e.htm>.
- Voorrips, L.E., Goldbohm, R.A., van Poppel, G., Sturmans, F., Hermus, R.J.J., and van den Brandt, P.A. (2000). Vegetable and fruit consumption and risks of colon and rectal cancer in a prospective cohort study. *Am. J. Epidemiol.* 152, 1081–1092.
- Wallock, L.M., Tamura, T., Mayr, C.A., Johnston, K.E., Ames, B.N., and Jacob, R.A. (2001). Low seminal plasma folate concentrations are associated with low sperm density and count in male smokers and nonsmokers. *Fertil. Steril.* 75, 252–259.
- Wei, L., Wei, H., and Frenkel, K. (1993a). Sensitivity to tumor promotion of SENCAR and C57Bl/6J mice correlates with oxidative events and DNA damage. *Carcinogenesis* 14, 841–847.
- Wei, Q., Matanoski, G.M., Farmer, E.R., Hedayati, M.A., and Grossman, L. (1993b). DNA repair and aging in basal cell carcinoma: A molecular epidemiology study [published erratum appears in Proc. Natl. Acad. Sci. USA 1993 Jun 1;90(11):5378]. *Proc. Natl. Acad. Sci. USA* 90, 1614–1618.
- Wheeler, R.E., Pragnell, M.J., and Pierce, J.S. (1971). The identificaiton of factors affecting flavour stability in beer. *Eur. Brew. Conv. Proc. Cong.* 1971, 423–436.
- Wildavsky, A.B. (1988). *Searching for Safety*. Transaction Books, New Brunswick, NJ.
- Wildavsky, A.B. (1995). *But Is It True? A Citizen's Guide to Environmental Health and Safety Issues*. Harvard University Press, Cambridge, MA.
- Wilker, C., Johnson, L., and Safe, S. (1996). Effects of developmental exposure to indole-3-carbinol or 2,3,7,8-tetrachlorodibenzo-p-dioxin on reproductive potential of male rat offspring. *Toxicol. Appl. Pharmacol.* 141, 68–75.

- Willett, W.C. (2001). Diet and cancer: One view at the start of the millennium. *Cancer Epidemiol. Biomarkers Prev.* 10, 3–8.
- Wine Institute (2001). *Per Capita Wine Consumption in Selected Countries, Vol. 2002*. Wine Institute. [http://www.wineinstitute.org/communications/statistics/keyfacts\\_worldpercapitaconsumption01.htm](http://www.wineinstitute.org/communications/statistics/keyfacts_worldpercapitaconsumption01.htm).
- Woodall, A.A., and Ames, B.N. (1997). Diet and oxidative damage to DNA: The importance of ascorbate as an antioxidant. In *Vitamin C in Health and Disease* (L. Packer, ed.), pp. 193–203. Marcel Dekker, New York.
- World Cancer Research Fund (1997). *Food, Nutrition and the Prevention of Cancer: A Global Perspective*. American Institute for Cancer Research, Washington, DC.
- World Health Organization (1984). WHO cooperative trial on primary prevention of ischaemic heart disease with clofibrate to lower serum cholesterol: final mortality follow-up. Report of the Committee of Principal Investigators. *Lancet* 8403, 600–604.
- World Health Organization (1993). *Polychlorinated Biphenyls and Terphenyls*. WHO, Geneva.
- Writing Group for the Women's Health Initiative Investigators (2002). Risks and benefits of estrogen plus progestin in healthy postmenopausal women. Principal results from the Women's Health Initiative randomized controlled trial. *JAMA* 288, 321–333.
- Wu-Williams, A.H., Zeise, L., and Thomas, D. (1992). Risk assessment for aflatoxin B<sub>1</sub>: A modeling approach. *Risk Anal.* 12, 559–567.
- Wyrobek, A.J., Rubes, J., Cassel, M., Moore, D., Perrault, S., Slott, V., Evenson, D., Zudova, Z., Borkovec, L., Selevan, S., and Lowe, X. (1995). Smokers produce more aneuploid sperm than non-smokers. *Am. J. Hum. Genet.* 57 (Suppl.), A131.
- Yamashina, K., Miller, B.E., and Heppner, G.H. (1986). Macrophage-mediated induction of drug-resistant vari-

- ants in a mouse mammary tumor cell line. *Cancer Res.* 46, 2396–2401.
- Yu, M.C., Tong, M.J., Govindarajan, S., and Henderson, B.E. (1991). Nonviral risk factors for hepatocellular carcinoma in a low-risk population, the non-Asians of Los Angeles County, California. *J. Natl. Cancer Inst.* 83, 1820–1826.
- Zeegers, M.P.A., Goldbohm, R.A., and van den Brandt, P.A. (2001). Consumption of vegetables and fruits and urothelial cancer incidence: A prospective study. *Cancer Epidemiol. Biomarkers Prev.* 10, 1121–1128.
- Zhang, J.Z., Henning, S.M., and Swendseid, M.E. (1993). Poly(ADP-ribose) polymerase activity and DNA strand breaks are affected in tissues of niacin-deficient rats. *J. Nutr.* 123, 1349–1355.